



## COMBI 206 WH

Junction box 85x49x51mm, plastic, RAL 9001



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                     |                                                                                       |
|-------------------------------------|---------------------------------------------------------------------------------------|
| <b>Material</b>                     | Polypropylene                                                                         |
| <b>Material sealing gasket</b>      | TPE                                                                                   |
| <b>Temp. range min</b>              | -30 °C                                                                                |
| <b>Temp. range max</b>              | 100 °C                                                                                |
| <b>Temperatures during install.</b> | -5 °C - 60 °C                                                                         |
| <b>Protection class</b>             | IP66 / IP67                                                                           |
| <b>Glow wire test</b>               | 750 °C                                                                                |
| <b>Voltage</b>                      | 400 V                                                                                 |
| <b>Rated cross section</b>          | 1,5 mm <sup>2</sup>                                                                   |
| <b>Fixing</b>                       | 4 internal openings                                                                   |
| <b>Ø cable diameter min</b>         | 3 mm                                                                                  |
| <b>Ø cable diameter max</b>         | 12 mm                                                                                 |
| <b>External dimensions LxWxH</b>    | 85 x 49 x 51mm                                                                        |
| <b>Using for cable gland</b>        |  |
| <b>Product Color</b>                | RAL 9001                                                                              |
| <b>Order no. RAL 9001</b>           | 10109573                                                                              |
| <b>Type</b>                         | COMBI 206 WH                                                                          |
| <b>Packing unit</b>                 | 10                                                                                    |
| <b>ETIM-Classification</b>          | EC002600                                                                              |
| <b>EAN number</b>                   | 4007686094626                                                                         |
| <b>Tariff number</b>                | 39269097                                                                              |

Remarks:

IP66: using the membrane entry

IP67: using the threaded entry together with ESKV cable gland

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Equipment:**

- 6 M20 threaded membrane entries
- 2 membrane cable entries through rear
- 4 captive cover screws

**Fixing:**

With 4 internal openings outside of the sealing area

**Recommended accessories**

|                            |          |
|----------------------------|----------|
| MP-S Mounting plate small  | 10105774 |
| ZER 4-12 LG                | 10109800 |
| SP-HKT 11/5 Terminal block | 22001132 |

14.08.2026


**Your Contact:**

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice