


## COMBI 304 BK

Junction box, round Ø 87 x 57mm, Polypropylene, RAL 9005



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                     |                          |
|-------------------------------------|--------------------------|
| <b>Material</b>                     | Polypropylene            |
| <b>Material sealing gasket</b>      | TPE                      |
| <b>Temp. range min</b>              | -30 °C                   |
| <b>Temp. range max</b>              | 100 °C                   |
| <b>Temperatures during install.</b> | -5 °C - 60 °C            |
| <b>Protection class</b>             | IP66 / IP67              |
| <b>Glow wire test</b>               | 750 °C                   |
| <b>Voltage</b>                      | 400 V                    |
| <b>Rated cross section</b>          | 2,5 mm²                  |
| <b>Fixing</b>                       | 2 external mounting feet |
| <b>Ø cable diameter min</b>         | 3 mm                     |
| <b>Ø cable diameter max</b>         | 12 mm                    |
| <b>External dimensions LxWxH</b>    | Ø 87 x 57mm              |
| <b>Type of cable gland</b>          | M 20 x 1,5               |
| <b>Product Color</b>                | RAL 9005                 |
| <b>WISKA-Order no.</b>              | 10110630                 |
| <b>Type</b>                         | COMBI 304 BK             |
| <b>Packing unit</b>                 | 5                        |
| <b>ETIM-Classification</b>          | EC002600                 |
| <b>EAN number</b>                   | 4007686257779            |
| <b>Tariff number</b>                | 39269097                 |

Remarks:

IP66: using the membrane entry

IP67: using the threaded entry together with ESKV cable gland

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Equipment:**

- 4 M20 threaded membrane entries

**Recommended accessories**

|                           |          |
|---------------------------|----------|
| SP-KT-W 221/CSM-3x221-413 | 22001114 |
| SP-KT-W 221/CSM           | 22001115 |

14.08.2026


**Your Contact:**

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com